

IN THE CLAIMS

Please amend the claims as indicated in the following full listing of claims.

1. (Currently Amended) A framing frame system for mounting or displaying a poster or other sheet material comprising:

frame members adapted to be secured together to form a base structure, said frame members being detachably connectable together such that they can be connected to each other to form said base structure as an open frame and can be subsequently disassembled by disconnecting said frame members from each other;

a clamping structure adapted for engagement with said base structure to retain the sheet material poster therebetween, said clamping structure including a plurality of individual clamping members that attach to adapted to engage said frame members, said clamping structure further including pegs on one of said frame members and said clamping members and corresponding receiving holes on the other of said frame members and said clamping members, said receiving holes being adapted to receive said pegs to retain the sheet material poster between said clamping members and said frame members.

- 2. (Currently Amended) A system as set forth in claim 1 wherein said base structure comprises four frame members, each of said frame members extending between a pair of inwardly angled ends, and each of said angled ends adapted to be connected to fit together with an adjacent complementary end of another of said frame members.
- 3. (Currently Amended) A system as set forth in claim 2 wherein some of said ends of said frame members include a tenon and others of said ends of said frame members include a mortise, and wherein said frame members can be interconnected to form a rectangular frame by inserting said tenons into said mortises. includes one of a tenon and a mortise hole, and said adjacent complementary end of said adjacent frame member includes the other one of a complementary mortise hole and



December 30, 2003

a tenon, said tenon and said mortise-holes adapted for mating engagement to thereby secure said adjacent frame members.

- 4. (Currently Amended) A system as set forth in claim 3 wherein therein each of said tenons and said mortises includes one of said receiving holes which are aligned when said tenon and said mortise are in mating engagement, and each of said holes is wherein said aligned holes are adapted to receive one of said pegs on said elamping member to thereby secure adjacent of said frame members together.
- 5. (Currently Amended) A system as set forth in claim 3 wherein each of said frame members includes a mortise hole on one of said ends thereof and a tenon on the opposite one of said ends.
- 6. (Currently Amended) A system as set forth in claim 3 wherein two of said frame members include at least one mortise holes on each of said ends thereof and the other two of said frame members includes at least one tenon tenons on each of said ends thereof.
- 7. (Currently Amended) A system as set forth in claim 3 wherein said tenons and said mortises mortise holes extend in the same direction as said angled end.
- 8. (Currently Amended) A system as set forth in claim 3 wherein said tenons each extend at generally at a right angle with respect to said frame member, and said mortises mortise-holes each extend generally in the same direction as said the frame member.
- 9. (Currently Amended) A system as set forth in claim 1 claim 3 wherein said frame members include a flat front surface, said front flat surface including a plurality of said receiving holes.



U.S. Serial No. 09/937,528

- 10. (Original) A system as set forth in claim 9 wherein said clamping members include a bottom flat surface, said bottom flat surface including a plurality of pegs adapted for engagement with said receiving holes.
- 11. (Original) A system as set forth in claim 10 wherein said frame members further include a shoulder extending from said flat front surface, said shoulder and said front flat surface defining a channel for receiving said clamping members.
- 12. (Currently Amended) A system as set forth in claim 10 further including a protective <u>cover layer</u> adapted for disposition between said frame members and said clamping members, said protective <u>cover layer</u> including a plurality of holes therethrough at the periphery thereof for receiving the pegs to thereby secure said protective <u>cover layer</u> between said frame members and said clamping members.
- 13. (Currently Amended) A system as set forth in claim 10 further including a poster adapted for disposition between said frame members and said clamping members, said poster including a plurality of holes therethrough at the periphery thereof for receiving said pegs to thereby secure said <u>poster protective layer</u> between said frame members and said clamping members.
- 14. (Currently Amended) A <u>framing frame</u> system for mounting or displaying a poster or other sheet material comprising:
- a plurality of frame members adapted to be secured together to form a base structure; and
- a plurality of separate clamping members adapted for independent detachable connection with said base structure to retain the **sheet material poster** between said base structure and said clamping members.
- 15. (Currently Amended) A system as set forth in claim 14 wherein said clamping members secure adjacent of and frame members together when connected with said base structure.




- 16. (Currently Amended) A system as set forth in claim 14 15 wherein said base structure comprises four frame members, each of said frame members extending between a pair of inwardly angled ends, and each of said angled ends adapted to be connected to fit together with an adjacent complementary end of another of said frame members.
- 17. (Currently Amended) A system as set forth in claim 16 further including pegs on one of said frame members and said clamping members and corresponding receiving holes on the other of said frame members and said clamping members, said receiving holes being adapted to receive said pegs to retain the **sheet material poster** between said clamping members and said frame members.
- 18. (Currently Amended) A system as set forth in claim 17 wherein some of said ends of said frame members include a tenon and others of said ends of said frame members include a mortise, and wherein said frame members can be interconnected to form a rectangular frame by inserting said tenons into said mortises. includes one of a tenon and a mortise hole, and said adjacent complementary end of said adjacent frame member includes the other one of a complementary mortise hole and a tenon, said tenon and said mortise holes adapted for mating engagement to thereby secure said adjacent frame members.
- 19. (Currently Amended) A system as set forth in claim 18 wherein therein each of said tenons and said mortises includes one of said receiving holes which are aligned when said tenon and said mortise are in mating engagement, and each of said holes is wherein said aligned holes are adapted to receive one of said pegs on said elamping member to thereby secure adjacent of said frame members together.
- 20. (Currently Amended) A system as set forth in claim 18 wherein each of said frame members includes a mortise hole on one of said ends thereof and a tenon on the opposite one of said ends.



- 21. (Currently Amended) A system as set forth in claim 18 wherein two of said frame members include <u>at least one</u> mortise holes on each of said ends thereof and the other two of said frame members includes <u>at least one tenon</u> tenons on each of said ends thereof.
- 22. (Currently Amended) A system as set forth in claim 18 wherein said tenons and said mortises mortise holes extend in the same direction as said angled end.
- 23. (Currently Amended) A system as set forth in claim 18 wherein said tenons each extend at generally at a right angle with respect to said frame member, and said mortises mortise holes each extend generally in the same direction as said the frame member.
- 24. (Currently Amended) A system as set forth in claim <u>15</u> 17 wherein said frame members include a flat front surface, said front flat surface including a plurality of said receiving holes.
- 25. (Original) A system as set forth in claim 24 wherein said clamping members include a bottom flat surface, said bottom flat surface including a plurality of pegs adapted for engagement with said receiving holes.
- 26. (Original) A system as set forth in claim 25 wherein said frame members further include a shoulder extending from said flat front surface, said shoulder and said front flat surface defining a channel for receiving said clamping members.
- 27. (Currently Amended) A system as set forth in claim 25 26 further including a protective cover layer adapted for disposition between said frame members and said clamping members, said protective cover layer including a plurality of holes therethrough at the periphery thereof for receiving the pegs to thereby secure said protective cover layer between said frame members and said clamping members.





29. (Currently Amended) A kit for <u>making a framed display containing</u> framing a poster or other sheet material comprising:

a canister comprising a generally tubular canister body, and at least one canister endcap;

a plurality of separate frame members adapted to be secured together to form a base structure;

a sheet material; and

a plurality of separate clamping members adapted for independent detachable connection with said base structure to retain <u>said sheet material</u> the poster between said base structure and said clamping members; and

wherein said frame members, sheet material, and clamping members are disposed within said canister.

a sheet material to be retained between said base structure and said clamping members.

- 30. (Currently Amended) A kit as set forth in claim 29 further including a protective cover contained within said canister and sized relative to said sheet material such that said protective cover can overlie said sheet material while being to be retained between said base structure and said clamping member.
- 31. (Original) A kit as set forth in claim 29 further including a stopper to separate said canister into first and second volumes, wherein said frame members and said clamping members are in said first volume.




- 32. (Original) A kit as set forth in claim 29 further including a novelty item in said second volume.
- 33. (Currently Amended) A kit as set forth in claim 29 wherein said clamping members secure adjacent of and frame members together when connected with said base structure.
- 34. (Currently Amended) A kit as set forth in claim 33 wherein said base structure comprises four frame members, each of said frame members extending between a pair of inwardly angled ends, and each of said angled ends adapted to be **connected to** fit together with an adjacent complementary end of another of said frame members.
- 35. (Currently Amended) A kit as set forth in claim 34 further including pegs on one of said frame members and said clamping members and corresponding receiving holes on the other of said frame members and said clamping members, said receiving holes being adapted to receive said pegs to retain the **sheet material poster** between said clamping members and said frame members.
- 36. (Currently Amended) A kit as set forth in claim 35 wherein some of said ends of said frame members include a tenon and others of said ends of said frame members include a mortise, and wherein said frame members can be interconnected to form a rectangular frame by inserting said tenons into said mortises. includes one of a tenon and a mortise hole, and said adjacent complementary end of said adjacent frame member includes the other one of a complementary mortise hole and a tenon, said tenon and said mortise holes adapted for mating engagement to thereby secure said adjacent frame members.
- 37. (Currently Amended) A kit as set forth in claim 36 wherein therein each of said tenons and said mortises includes one of said receiving holes which are aligned when said tenon and said mortise are in mating engagement, and each of said holes is



wherein said aligned holes are adapted to receive one of said pegs on said clamping member to thereby secure adjacent of said frame members together.


- 38. (Currently Amended) A kit as set forth in claim 36 wherein each of said frame members includes a mortise hole on one of said ends thereof and a tenon on the opposite one of said ends.
- 39. (Currently Amended) A kit as set forth in claim 36 wherein two of said frame members include <u>at least one</u> mortise holes on each of said ends thereof and the other two of said frame members includes <u>at least one tenon</u> tenons on each of said ends thereof.
- 40. (Currently Amended) A kit as set forth in claim 36 wherein said tenons and said mortises mortise holes extend in the same direction as said angled end.
- 41. (Currently Amended) A kit as set forth in claim 36 wherein said tenons each extend at generally at a right angle with respect to said frame member, and said mortises mortise holes each extend generally in the same direction as said the frame member.
- 42. (Currently Amended) A kit as set forth in claim 29 35 wherein said frame members include a recessed flat front surface, said front flat surface including a plurality of said receiving holes.
- 43. (Currently Amended) A kit as set forth in claim 42 wherein said clamping members include a bottom flat surface, wherein, for each of said frame members and said clamping members, one of said front flat surface and said bottom flat surface includes a plurality of receiving holes and the other of said front flat surface and said bottom flat surface including a plurality of pegs adapted for engagement with said receiving holes.





- 45. (Currently Amended) A kit as set forth in claim 43 [[44]] further including a protective cover layer adapted for disposition between said frame members and said clamping members, said protective cover layer including a plurality of holes therethrough at the periphery thereof for receiving the pegs to thereby secure said protective cover layer between said frame members and said clamping members.
- 46. (Currently Amended) A kit as set forth in claim 43 wherein said sheet material comprises further including a poster adapted for disposition between said frame members and said clamping members, said poster including a plurality of holes therethrough at the periphery thereof for receiving said pegs to thereby secure said poster protective layer between said frame members and said clamping members.
- 47. (New) A kit as set forth in claim 29, further comprising at least one endcap connected to an end of said tubular canister and enclosing said frame members, sheet material, and clamping members within said canister.
- 48. (New) A kit for making a framed display of a poster or other sheet material, comprising:
- a plurality of elongated frame members each having first and second ends that mate with complementary ends of another of said frame members, wherein said frame members can be connected together at said ends to form an open frame;
- a sheet material sized to fit within said frame and including holes located at the periphery of said sheet material;
 - a plurality of pegs sized to fit within said holes;
- a plurality of elongated clamping members, wherein said clamping members can be attached via said pegs to said open frame with said pegs extending through said holes to thereby clamp said sheet material to said frame; and





a tubular canister containing said frame members, said sheet material, said pegs, and said clamping members.

- 49. (New) A kit as set forth in claim 48, wherein said pegs comprise unitary portions of said clamping members.
 - (New) A framing system for a poster or other sheet material, comprising:

a plurality of elongated frame members each having a pair of ends, some of said ends being mortised and others of said ends having a tenon that fits within one or more of said mortises to thereby form a mortise and tenon joint, wherein said frame members can be connected together at said ends to form an open frame having one of said mortise and tenon joints at each end of each of said frame members;

said mortises and said tenons each having a laterally extending through-hole, wherein said through-hole of each tenon aligns with said through-hole of an associated one of said mortises when said frame members are connected together by said joints to form said open frame; and

a plurality of clamping members that can be attached to said frame members, wherein at least some of said clamping members include a peg, with said pegs extending into said aligned through holes at each of said joints to thereby prevent each of said tenons from detaching from its associated mortise.